

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14055	(register\$3 registrat\$4) near3 ((calculation method\$1) algorithm)	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:16
L2	16748	(user client\$1 person\$2) near3 (authenticat\$4 authoriz\$6 authoris\$6)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:41
L3	31653	(user client\$1 person\$2) near3 (id identit\$3 identifier\$1 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:41
L4	4	I1 with I2 with I3	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:47
L5	15388	arbitrary near (number numeric\$4 value)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:41
L6	16809	arbitrary near (number numeric\$4 value\$1)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:47
L7	1	I4 and I6	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:42
L10	521	I1 and I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:47
L11	48371	(conver\$4 arbitrary) near (number numeric\$4 value\$1)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:48
L12	46	I10 and I11	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:48
L13	3012892	(compar\$6 verif\$8 valid\$7 equal\$3) (calculation\$2 algorithm\$2 method\$1 I11)	USPAT; IBM_TDB	OR	OFF	2006/01/03 12:50
L14	46	I12 and I13	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:11
L15	10544	((726/1-6) or (726/17-19) or (726/21) or (726/26) or (726/27-30) or (380/201-202) or (380/220) or (380/232) or (709/202-203) or (709/219) or (709/223) or (709/225) or (709/228-229)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:16
L16	135	I15 and I1 and I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:16
L17	135	I13 and I16	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:16
L18	3208	(register\$3 registrat\$4) near3 (calculation algorithm)	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:17
L19	3	I17 and I18	USPAT; IBM_TDB	OR	OFF	2006/01/03 13:18

07/845,319